What is claimed is:

1. A compound having Formula I:



I

and pharmaceutically acceptable salts thereof, where:

X^1 and X^2 are hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, aryl, heteroaryl, aralkyl, cycloalkylalkyl, $-(CH_2)_m$-halogen, $-(CH_2)_m$-heteroaryl, $-(CH_2)_m-SOR^3$, $-(CH_2)_m-OCOR^3$, $-(CH_2)_m-OSO_2R^3$, $-(CH_2)_m-OSO_2NR^4R^5$, $-(CH_2)_m-NR^6COR^3$, $-(CH_2)_m-NR^6SO_2R^3$, $-(CH_2)_m-NR^3SO_2NR^4R^5$, $-(CH_2)_mNR^4R^5$, $-(CH_2)_mOR^3$, -CN, $-NO_2$, $-CF_{(3-n)}H_n$, $-(CH_2)_m-O(CH_2)_mR^3$, $-(CH_2)_m-O(CH_2)_m-OR^3$, $-(CH_2)_m-O(CH_2)_m-NR^4R^5$, $-(CH_2)_mR^3$, $-(CH_2)_mCO_2R^3$, $-(CH_2)_mCOR^3$, $-(CH_2)_mCONR^4R^5$, $-(CH_2)_mNR^6COR^3$, $-(CH_2)_mNR^6CONR^4R^5$, $-(CH_2)_mSO_2R^3$, $-(CH_2)_mSO_2NR^4R^5$,



, or



; or are joined together to form a substituted or unsubstituted three to eight member ring wherein 0 to 3 atoms of the ring are heteroatoms;

A is aryl, arylcycloalkyl, heteroaryl, heteroarylcycloalkyl, cycloalkyl, or cycloalkenyl;

M is arylene, heteroarylene, cycloalkylene, heterocycloalkylene, cycloalkenylene or heterocycloalkenylene;

Q is $-CONR^4R^5$, aryl, heteroaryl, cycloalkyl, cycloalkenyl, heterocycloalkyl, or heterocycloalkenyl;

R^1 is hydrogen, alkyl, aryl, heteroaryl or alkenyl;

R^2 is hydrogen, alkyl, aryl, heteroaryl, alkenyl, cycloalkyl, cycloalkylalkyl, aralkyl, heteroaralkyl, heterocycloalkylalkyl, carboxy, $-(CH_2)_mNR^4R^5$, $-(CH_2)_mOR^3$, $-(CH_2)_mSR^3$, $-(CH_2)_mCONR^4R^5$, or $-(CH_2)_mNR^6COR^3$;

R^3 is hydrogen, alkyl, aryl, heteroaryl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aralkyl, or heteroarylalkyl;

R^6 is hydrogen, alkyl, aryl, heteroaryl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aralkyl, or heteroarylalkyl;

R^4 and R^5 are each independently hydrogen, alkyl, aryl, heteroaryl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aralkyl, heteroarylalkyl, $-\overset{O}{\overset{\|}{C}}-C_1\text{-}C_6\text{alkyl}$, $-\overset{O}{\overset{\|}{C}}-O-C_1\text{-}C_6\text{alkyl}$, $-\overset{O}{\overset{\|}{C}}-O\text{-aralkyl}$, $-\overset{O}{\overset{\|}{C}}-S-C_1\text{-}C_6\text{alkyl}$, $-\overset{O}{\overset{\|}{C}}-\underset{H}{N}-C_1\text{-}C_6\text{alkyl}$,

or joined together to form a 3 to 8 member ring;

m is 0 to 8;

n is 0 to 2; and

p is 1 to 3;

with the proviso that when R^1 and R^2 are H, neither X^1 nor X^2 is H.

2. The compound of claim 1, wherein A is aryl or heteroaryl.

3. The compound of claim 2, wherein A is



wherein Y is CH or N; and R^8 is hydrogen, halo, or C_1-C_6 alkyl.

4. The compound of claim 3, wherein A is



wherein Y is CH or N; and R^8 is hydrogen, Cl, Br, or F.

5. The compound of claim 4, wherein A is 4-chlorophenyl or 5-chloro-2-pyridyl.

6. The compound of claim 1, wherein M is arylene or heteroarylene.

7. The compound of claim 6, wherein M is



, or


; wherein R^9 is hydrogen, halo, or C_1-C_6 alkyl.

8. The compound of claim 7, wherein M is



or ;

wherein R^9 is hydrogen, methyl, trifluoromethyl, Cl, Br, or F.

9. The compound of claim 8, wherein M is phenylene-1,4-diyl, 2-fluoro-phenylene-1,4-diyl, 2-methyl-phenylene-1,4-diyl, 2-trifluoromethyl-phenylene-1,4-diyl, or pyridine-2,5-diyl.

10. The compound of claim 1, wherein Q is aryl, heteroaryl or heterocycloalkyl.

11. The compound of claim 10, wherein Q is



wherein G is O, S, NH, N-(C_1-C_6alkyl),



; R^{14} is hydrogen, halo, C_1-C_6 alkyl, -$SO_2NR^{12}R^{13}$, -SO_2alkyl or oxo; R^{16} and R^{17} are independently hydrogen, C_1-C_6 alkyl, or are joined together to form a saturated or unsaturated 3 to 8 membered ring; and R^{10} is hydrogen, halo, C_1-C_6 alkyl, -$SO_2NR^{12}R^{13}$, or -SO_2alkyl, C_1-C_6 alkyl, wherein R^{12} and R^{13} are independently hydrogen, C_1-C_6 alkyl, or are joined together to form a saturated 5 to 7 membered ring.

12. The compound of claim 11, wherein Q is



; wherein G is NH, N-(C_1-C_6alkyl) or N-C(=O)-C_1-C_6alkyl; R^{14} is hydrogen, -$SO_2NR^{12}R^{13}$, -SO_2alkyl or oxo; and R^{10} is hydrogen, Cl, Br, F, -$SO_2NR^{12}R^{13}$, or -SO_2alkyl, wherein R^{12} and R^{13} are independently hydrogen, or C_1-C_6 alkyl.

13. The compound of claim 11, wherein Q is 2-methanesulfonylphenyl, 2-sulfamoylphenyl, 2-oxo-2H-pyridin-1-yl, or 2-oxo-piperidin-1-yl.

14. The compound of claim 1, wherein X^1 and X^2 are hydrogen, alkyl, -$(CH_2)_mOR^3$, or alkenyl.

15. The compound of claim 1, wherein X^1 and X^2 are alkyl, -$(CH_2)_mOR^3$, alkenyl or -CH_2-$NR^7R^{7'}$ where R^7 and $R^{7'}$ are independently hydrogen, -C_1-C_6 alkyl, —C(=O)-C_1-C_6alkyl, —C(=O)-O-C_1-C_6alkyl, —C(=O)-O-aralkyl, —C(=O)-S-C_1-C_6alkyl, or —C(=O)-N(H)-C_1-C_6alkyl.

16. The compound of claim 1, wherein X^1 and X^2 are hydrogen, methyl, -CH_2-OH, -CH_2-NH_2, -CH_2-$N(CH_3)_2$, or -CH_2-$N(CH_2CH_3)_2$.

17. The compound of claim 1, wherein X^1 and X^2 together form a cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, or cyclopentenyl ring.

18. The compound of claim 1, wherein X^1 and X^2 together are



wherein R^{15} and $R^{15'}$ are independently hydrogen, $-(CH_2)_{1-6}$-OH, $-(CH_2)_{1-6}$-O-C_1-C_6 alkyl, $-(CH_2)_{1-6}$-NH_2, -COOH, or –OH; and E is O, S, or NR^{16} wherein R^{16} is hydrogen, - C_1-C_6 alkyl,  ,  ,  ,  , or  .

19. The compound of claim 1, wherein R^2 is alkyl, aryl, heteroaryl, cycloalkyl, cycloalkylalkyl, aralkyl, heteroaralkyl, heterocycloalkylalkyl, carboxy, -$(CH_2)_mNR^4R^5$, -$(CH_2)_mOR^3$, -$(CH_2)_mSR^3$, -$(CH_2)_mCONR^4R^5$, or -$(CH_2)_mNR^6COR^3$; wherein R^3, R^4, R^5 and R^6 as as described in claim 1.

20. The compound of claim 19, wherein R^2 is C_1-C_6 alkyl, phenyl, pyridyl, cyclopropyl, cyclopropylmethyl, cyclobutylmethyl, cyclopentylmethyl, cyclohexylmethyl, 2-cyclopropylethyl, 2-cyclopentylethyl, benzyl, 2-pyridinylmethyl, 3-pyridinylmethyl, 4-pyridinylmethyl, 3-(2-pyridinyl)-propyl, thienylmethyl, 2-morpholin-4-yl-ethyl, 2-thiomorpholin-4-yl-ethyl, -$(CH_2)_{1-3}NH_2$,

$-(CH_2)_{1-3}N(C_1-C_6alkyl)_2$, $-(CH_2)_{1-3}NHC_1-C_6alkyl$, $-(CH_2)_{1-3}OC_1-C_6alkyl$, $-(CH_2)_{1-3}SC1-C_6alkyl$, $-(CH_2)_{1-3}CONH_2$, $-(CH_2)_{1-3}CON(C_1-C_6alkyl)_2$, $-(CH_2)_{1-3}CONHC_1-C_6alkyl$, or $-(CH_2)_{1-3}NHCOC_1-C_6alkyl$.

21. The compound of claim 1, wherein where A is



wherein Y is CH or N; and R^8 is hydrogen, Cl, Br, or F;

M is



,



,



,



or ; wherein R^9 is hydrogen, Cl, Br, or F;

Q is



, , , , , , or wherein G is NH, N-(C_1-C_6alkyl) or $N-\overset{O}{\overset{\|}{C}}-C_1$-$C_6$alkyl; R^{14} is hydrogen, $-SO_2NR^{12}R^{13}$, $-SO_2$alkyl or oxo; and R^{10} is hydrogen, Cl, Br, F, $-SO_2NR^{12}R^{13}$, or $-SO_2$alkyl, where R^{12} and R^{13} are independently hydrogen, or C_1-C_6 alkyl;

X_1 and X_2 are hydrogen, methyl, $-CH_2-OH$, $-CH_2-NR^7R^{7'}$ where R^7 and $R^{7'}$ are independently hydrogen or C_1-C_6 alkyl, or X_1 and X_2 together form a cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, or cyclopentenyl ring or together are



, , , , , or

wherein R^{15} and $R^{15'}$ are independently hydrogen, $-(CH_2)_{1-6}-OH$, $-(CH_2)_{1-6}-O-C_1$-C_6 alkyl, $-(CH_2)_{1-6}-NH_2$, -COOH, or –OH; and E is O, S, or NR^{16} where R^{16} is R^{16}

is hydrogen, C_1-C_6 alkyl, ,  , or  ;

R^1 and R^3 are each independently hydrogen, or C_1-C_6alkyl; and

R^2 is hydrogen, C_1-C_6 alkyl, phenyl, pyridyl, cyclopropyl, cyclopropylmethyl, cyclobutylmethyl, cyclopentylmethyl, cyclohexylmethyl, 2-cyclopropylethyl, 2-cyclopentylethyl, benzyl, 2-pyridinylmethyl, 3-pyridinylmethyl, 4-pyridinylmethyl, 3-(2-pyridinyl)-propyl, thienylmethyl, 2-morpholin-4-yl-ethyl, 2-thiomorpholin-4-yl-ethyl, -$(CH_2)_{1-3}NH_2$, -$(CH_2)_{1-3}N(C_1$-C_6alkyl$)_2$, -$(CH_2)_{1-3}NHC_1$-C_6alkyl, -$(CH_2)_{1-3}OC_1$-C_6alkyl, -$(CH_2)_{1-3}SC1$-C_6alkyl, -$(CH_2)_{1-3}$ $CONH_2$, -$(CH_2)_{1-3}$ $CON(C_1$-C_6alkyl$)_2$, -$(CH_2)_{1-3}$ $CONHC_1$-C_6alkyl, or -$(CH_2)_{1-3}NHCOC_1$-C_6alkyl.

22. The compound of claim 1, wherein the compounds is

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

2-[3-(5-Chloro-pyridin-2-yl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-2-methyl-propionamide;

2-[3-(4-Chloro-phenyl)-ureido]-N-(3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-2-methyl-propionamide;

4-[3-(4-Chloro-phenyl)-ureido]-tetrahydro-thiopyran-4-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

4-[3-(4-Chloro-phenyl)-ureido]-tetrahydro-pyran-4-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopentanecarboxylic acid (2'-methanesulfonyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclohexanecarboxylic acid (2'-methanesulfonyl-biphenyl-4-yl)-amide;

2-[3-(4-Chloro-phenyl)-1-methyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1,3-dimethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-ureido]-3-hydroxy-2-hydroxymethyl-N-(2'-sulfamoyl-biphenyl-4-yl)-propionamide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (2'-methanesulfonyl-biphenyl-4-yl)-amide;

2-[3-(4-Chloro-phenyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-2-methyl-propionamide;

2-[3-(4-Chloro-phenyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopent-3-enecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide; and

2-[3-(4-Chloro-phenyl)-3-methyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

(1S,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

(1R,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

(1R, 2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

(1S, 2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

2-[3-(4-Chloro-phenyl)-ureido]-N-[2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-2-methyl-propionamide;

2-[3-(5-Chloro-pyridin-2-yl)-ureido]-2-methyl-N-[4-(2-oxo-piperidin-1-yl)-phenyl]-propionamide;

2-[3-(4-Chloro-phenyl)-ureido]-2-methyl-N-[4-(2-oxo-piperidin-1-yl)-phenyl]-propionamide;

2-[3-(5-Chloro-pyridin-2-yl)-ureido]-N-[2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-2-methyl-propion amide;

N-[2-Fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-2-[3-(4-fluoro-phenyl)-ureido]-2-methyl-propionamide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid [2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid [4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid [4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid [2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

1-[3-(4-Fluoro-phenyl)-ureido]-cyclopropanecarboxylic acid [2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclohexanecarboxylic acid [2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclohexanecarboxylic acid [4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclohexanecarboxylic acid [4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclohexanecarboxylic acid [2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

1-[3-(4-Fluoro-phenyl)-ureido]-cyclohexanecarboxylic acid [2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

2-[3-(4-Chloro-phenyl)-ureido]-N-[2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-3-hydroxy-2-hydroxymethyl-propionamide;

2-[3-(5-Chloro-pyridin-2-yl)-ureido]-3-hydroxy-2-hydroxymethyl-N-[4-(2-oxo-piperidin-1-yl)-phenyl]-propionamide;

2-[3-(4-Chloro-phenyl)-ureido]-3-hydroxy-2-hydroxymethyl-N-[4-(2-oxo-piperidin-1-yl)-phenyl]-propionamide;

2-[3-(5-Chloro-pyridin-2-yl)-ureido]-N-[2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-3-hydroxy-2-hydroxymethyl-propionamide;

N-[2-Fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-2-[3-(4-fluoro-phenyl)-ureido]-3-hydroxy-2-hydroxymethyl-propionamide;

2-[3-(4-Chloro-phenyl)-ureido]-N-[2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-acetamide;

2-[3-(5-Chloro-pyridin-2-yl)-ureido]-N-[2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-acetamide;

2-[3-(5-Chloro-pyridin-2-yl)-ureido]-N-[4-(2-oxo-piperidin-1-yl)-phenyl]-acetamide;

2-[3-(4-Chloro-phenyl)-ureido]-N-[4-(2-oxo-piperidin-1-yl)-phenyl]-acetamide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid [5-(2-methanesulfonyl-phenyl)-pyridin-2-yl]-amide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid [5-(2-sulfamoyl-phenyl)-pyridin-2-yl]-amide;

1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid [5-(2-methanesulfonyl-phenyl)-pyridin-2-yl]-amide;

1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid [5-(2-sulfamoyl-phenyl)-pyridin-2-yl]-amide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (2'-methanesulfonyl-3-trifluoromethyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (2'-sulfamoyl-3-trifluoromethyl-biphenyl-4-yl)-amide;

1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid (2'-methanesulfonyl-3-trifluoromethyl-biphenyl-4-yl)-amide;

1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid (2'-sulfamoyl-3-trifluoromethyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (2'-methanesulfonyl-3-methyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-methyl-2'-sulfamoyl-biphenyl-4-yl)-amide;

1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid (2'-methanesulfonyl-3-methyl-biphenyl-4-yl)-amide;

1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid (3-methyl-2'-sulfamoyl-biphenyl-4-yl)-amide;

2-[3-(5-Chloro-pyridin-2-yl)-1-methyl-ureido]-N-(2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-methyl-ureido]-N-(2'-sulfamoyl-biphenyl-4-yl)-acetamide;

2-[3-(5-Chloro-pyridin-2-yl)-1-methyl-ureido]-N-(3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-methyl-ureido]-N-(3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-acetamide;

2-[3-(5-Chloro-pyridin-2-yl)-1-methyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-methyl-ureido]-N-(2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (2'-methanesulfonyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (2'-sulfamoyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

3-[3-(4-Chloro-phenyl)-ureido]-pyrrolidine-3-carboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

3-[3-(4-Chloro-phenyl)-ureido]-pyrrolidine-3-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-3-hydroxymethyl-cyclobutanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-3-hydroxymethyl-cyclobutanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-2-methoxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-2-methoxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

2-Aminomethyl-1-[3-(4-chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

2-Aminomethyl-1-[3-(4-chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

2-[3-(4-Chloro-phenyl)-ureido]-2-(3-fluoro-2'-methanesulfonyl-biphenyl-4-ylcarbamoyl)-cyclopropanecarboxylic acid;

2-[3-(4-Chloro-phenyl)-ureido]-2-(3-fluoro-2'-sulfamoyl-biphenyl-4-ylcarbamoyl)-cyclopropanecarboxylic acid;

3-[3-(4-Chloro-phenyl)-ureido]-1-methyl-pyrrolidine-3-carboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

3-[3-(4-Chloro-phenyl)-ureido]-1-methyl-pyrrolidine-3-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

1-Acetyl-3-[3-(4-chloro-phenyl)-ureido]-pyrrolidine-3-carboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

1-Acetyl-3-[3-(4-chloro-phenyl)-ureido]-pyrrolidine-3-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-3-methoxymethyl-cyclobutanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-3-methoxymethyl-cyclobutanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

3-Aminomethyl-1-[3-(4-chloro-phenyl)-ureido]-cyclobutanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

3-Aminomethyl-1-[3-(4-chloro-phenyl)-ureido]-cyclobutanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

3-[3-(4-Chloro-phenyl)-ureido]-3-(3-fluoro-2'-methanesulfonyl-biphenyl-4-ylcarbamoyl)-cyclobutanecarboxylic acid;

3-[3-(4-Chloro-phenyl)-ureido]-3-(3-fluoro-2'-sulfamoyl-biphenyl-4-ylcarbamoyl)-cyclobutanecarboxylic acid;

4-[3-(4-Chloro-phenyl)-ureido]-piperidine-4-carboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

4-[3-(4-Chloro-phenyl)-ureido]-piperidine-4-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

4-[3-(4-Chloro-phenyl)-ureido]-1-methyl-piperidine-4-carboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

4-[3-(4-Chloro-phenyl)-ureido]-1-methyl-piperidine-4-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

1-Acetyl-4-[3-(4-chloro-phenyl)-ureido]-piperidine-4-carboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

1-Acetyl-4-[3-(4-chloro-phenyl)-ureido]-piperidine-4-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-3,4-dihydroxy-cyclopentanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-3,4-dihydroxy-cyclopentanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

3-[3-(4-Chloro-phenyl)-ureido]-tetrahydro-furan-3-carboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

3-[3-(4-Chloro-phenyl)-ureido]-tetrahydro-furan-3-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

3-[3-(4-Chloro-phenyl)-ureido]-tetrahydro-thiophene-3-carboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

3-[3-(4-Chloro-phenyl)-ureido]-1-methyl-pyrrolidine-3-carboxylic acid [2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

1-Acetyl-3-[3-(4-chloro-phenyl)-ureido]-pyrrolidine-3-carboxylic acid [2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

1-Acetyl-3-[3-(4-chloro-phenyl)-ureido]-azetidine-3-carboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

1-Acetyl-3-[3-(4-chloro-phenyl)-ureido]-azetidine-3-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-1-methyl-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

1-[3-(4-Chloro-phenyl)-1-methyl-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-1-methyl-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

3-[3-(4-Chloro-phenyl)-ureido]-tetrahydro-thiophene-3-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

3-[3-(4-Chloro-phenyl)-ureido]-1-methyl-azetidine-3-carboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

3-[3-(4-Chloro-phenyl)-ureido]-1-methyl-azetidine-3-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

1-[3-(4-Chloro-phenyl)-ureido]-2-methoxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-amide;

3-Amino-2-aminomethyl-2-[3-(4-chloro-phenyl)-ureido]-N-(3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-propionamide;

3-Amino-2-aminomethyl-2-[3-(4-chloro-phenyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-propionamide;

2-[3-(4-Chloro-phenyl)-ureido]-3-ethylamino-2-ethylaminomethyl-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-propionamide;

2-[3-(4-Chloro-phenyl)-1-cyclopropylmethyl-ureido]-N-(3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-cyclopropylmethyl-ureido]-N-[2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-acetaminde;

2-[3-(4-Chloro-phenyl)-1-cyclopropylmethyl-ureido]-N-[2-fluoro-4-(2-oxo-2H-pyridin-1-yl)-phenyl]-acetamide;

2-[3-(5-Chloro-pyridin-2-yl)-1-cyclopropylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-cyclopropyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(5-Chloro-pyridin-2-yl)-1-cyclopropylmethyl-ureido]-N-(3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-acetamide;

2-[3-(5-Chloro-pyridin-2-yl)-1-cyclopropylmethyl-ureido]-N-[2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-acetamide;

2-[3-(5-Chloro-pyridin-2-yl)-1-cyclopropylmethyl-ureido]-N-[2-fluoro-4-(2-oxo-2H-pyridin-1-yl)-phenyl]-acetamide;

2-[3-(4-Chloro-phenyl)-1-isopropyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-cyclopentyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-cyclopentylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-(2-cyclopropyl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-phenyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-thiophen-3-ylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-pyridin-3-ylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-cyclohexylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-(2-cyclopentyl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-thiophen-2-ylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-pyridin-2-ylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-pyridin-4-ylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-(2-ethoxy-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-(2-methylsulfanyl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

{3-(4-Chloro-phenyl)-1-[(3-fluoro-2'-methanesulfonyl-biphenyl-4-ylcarbamoyl)-methyl]-ureido}-acetic acid;

2-[3-(4-Chloro-phenyl)-1-(2-morpholin-4-yl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-(2-thiomorpholin-4-yl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-phenethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-(2-methylsulfanyl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-methylcarbamoylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-{3-(4-Chloro-phenyl)-1-[2-(4-methyl-piperazin-1-yl)-ethyl]-ureido}-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[1-(2-Acetylamino-ethyl)-3-(4-chloro-phenyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-(2,2-dimethyl-propyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

3-[3-(4-Chloro-phenyl)-ureido]-3-(3-fluoro-2'-methanesulfonyl-biphenyl-4-ylcarbamoyl)-pyrrolidine-1-carboxylic acid benzyl ester;

2-[3-(4-Chloro-phenyl)-1-(2,2-dimethyl-propyl)-ureido]-N-[2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-acetamide;

2-[3-(4-Chloro-phenyl)-1-cyclobutylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-cyclopropylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-(2-methoxy-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-isobutyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-(2-dimethylamino-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[1-Benzyl-3-(4-chloro-phenyl)-ureido]-N-(3-fluoro-2' methanesulfonyl-biphenyl-4-yl)-acetamide;

2-[3-(4-Chloro-phenyl)-1-(4-methoxy-benzyl) ureido]- N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;

(1R,2S)-(1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(2-oxo-2H-pyridin-1-yl)-phenyl]-amide;

(1S,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(2-oxo-2H-pyridin-1-yl)-phenyl]-amide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid [2-fluoro-4-(2-oxo-2H-pyridin-1-yl)-phenyl]-amide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid [2-fluoro-4-(5-methyl-pyrazol-1-yl)-phenyl]-amide;

(1R,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(5-methyl-pyrazol-1-yl)-phenyl]-amide;

(1S,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(5-methyl-pyrazol-1-yl)-phenyl]-amide;

2-[3-(4-Chloro-phenyl)-1-cyclopropylmethyl-ureido]-N-[2-fluoro-4-(5-methyl-pyrazol-1-yl)-phenyl]-acetamide;

1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid [4-(3,5-dimethyl-pyrazol-1-yl)-2-fluoro-phenyl]-amide;

2-[3-(4-Chloro-phenyl)-1-cyclopropylmethyl-ureido]-N-[4-(3,5-dimethyl-pyrazol-1-yl)-2-fluoro-phenyl]-acetamide;

(1R,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (2-fluoro-4-pyrazol-1-yl-phenyl)-amide;

(1S,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (2-fluoro-4-pyrazol-1-yl-phenyl)-amide;

(1R,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(3-methyl-pyrazol-1-yl)-phenyl]-amide;

(1S,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(3-methyl-pyrazol-1-yl)-phenyl]-amide;

(1R,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(2-methyl-imidazol-1-yl)-phenyl]-amide;

(1S,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(2-methyl-imidazol-1-yl)-phenyl]-amide;

(1R,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [4-(2,5-dihydro-pyrrole-1-carbonyl)-2-fluoro-phenyl]-amide;

(1S,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [4-(2,5-dihydro-pyrrole-1-carbonyl)-2-fluoro-phenyl]-amide;

(1R,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(pyrrolidine-1-carbonyl)-phenyl]-amide;

(1S,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro-4-(pyrrolidine-1-carbonyl)-phenyl]-amide;

(1R,2S)-2-(Acetylamino-methyl)-1-[3-(4-chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

(1S,2S)-2-(Acetylamino-methyl)-1-[3-(4-chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

or a pharmaceutically acceptable salt thereof.

23. A process for the preparation of compounds of Formula I, wherein P^1 is a protecting group, Y^1 is a halogen and X^1, X^2, A, M, and Q are as defined above, comprising

(a) contacting an amino acid having Formula III with a reagent capable of forming a protecting group on the amino group of the amino acid to form a compound with Formula IV



III IV ;

(b) activating of the carboxylic acid of Formula IV and contacting it with an amino compound of the formula H_2N-M-Y^1 to form a compound of Formula V



IV V ;

(c) coupling the compound of Formula V with a compound having Q to form a compound of Formula VI



V VI ; and

(d) removing the amino protecting group of the compound of Formula VI and contacting the resulting free amine with an isocyanate having A to form a compound of Formula I



24. A process for the preparation of compounds of Formula I, wherein P^1 is a protecting group, and X^1, X^2, A, M, and Q are as defined above, comprising

(a) contacting an amino acid having Formula X with a reagent capable of forming a protecting group on the amino group of the amino acid to form a compound with Formula XI



;

(b) activating of the carboxylic acid of Formula XI and contacting it with an amino compound of the formula H_2N-M-Q to form a compound of Formula XII



XI XII ;

and

(c) removing the amino protecting group of the compound of Formula XII and contacting the resulting free amine with an isocyanate having A to form a compound of Formula I



XII I .

25. A process for the preparation of compounds of Formula I, wherein A, M, Q and R^2 are as defined above, comprising

(a) contacting a compound of Formula XVII with a bromoacetyl chloride of the Formula XX to form a compound of Formula XXI



XVII XX ;

(b) contacting a compound of Formula XXI with an amine of Formula XXII to form a compound of Formula XXIII



XXI XXIII ; and

(c) contacting a compound of Formula XXIII with an isocyanate having A to form a compound of Formula I



XXIII I

26. A process for the preparation of compounds of Formula I, wherein P^1 and P^2 are independent protecting groups and A, M, and Q are as defined above, comprising

(a) base catalyzed ring opening of a compound of Formula XXVIII to form a compound of Formula XXIX



XXVIII XXIX ;

(b) contacting a compound of Formula XXIX with a reagent capable of forming a protecting group on the hydroxyl groups followed by contacting the resulting intermediate with a reagent capable of selective deprotection of the carboxylic acid hydroxyl group to form a compound with Formula XXX



XXIX XXX ;

(c) activating the carboxylic acid of Formula XXX and contacting it with an amino compound of the formula XXXI to form a compound of Formula XXXII



XXX XXXII ;

and

(d) removing the amino protecting group of the compound of Formula XXXII and contacting the resulting free amine with an isocyanate having A to from a compound of Formula I



XXXII I

27. A process for the preparation of compounds of Formula I, wherein P^1 and P^2 are independent protecting groups and A, M, and Q are as defined above, comprising

(a) contacting a compound of Formula XXXIII with a reagent capable of selectively forming a protecting group on the alcohol hydroxyl group to form a compound with Formula XXXIV



XXXIII XXXIV ;

(b) activating the carboxylic acid of Formula XXXIV and contacting it with an amino compound of the formula XXXV to form a compound of Formula XXXVI



XXXIV XXXVI ;

(c) removing the amino protecting group of the compound of Formula XXXVI and contacting the resulting free amine with an isocyanate having A to from a compound of Formula XXXVII



XXXVI XXXVII

; and

(d) removing the alcohol hydroxy protecting group of the compound of Formula XXXVII to from a compound of Formula I



XXXVII I

28. A process for the preparation of compounds of Formula I, wherein P^1 and P^2 are independently protecting groups and A, M, and Q are as defined above, comprising

(a) contacting a compound of Formula XXXVIII with acid to form a compound of Formula XXXIX



;

(b) contacting a compound of Formula XXXIX with a reagent capable of forming a protecting group on the amino moiety to form a compound of Formula XL



;

(c) contacting a compound of Formula XL with a reagent capable of forming a protecting group on the heterocycle nitrogen to form a compound of Formula XLI



;

(d) contacting a compound of Formula XLI with a reagent capable of removing the protecting group of the carboxylic acid to form a compound of Formula XLII



;

(e) activating the carboxylic acid of Formula XLII and contacting it with an amino compound of the formula XLIII to form a compound of Formula XLIV



; and

(f) removing the amino protecting group of the compound of Formula XLIV and contacting the resulting free amine with an isocyanate having A to from a compound of Formula I



29. A method of treating or preventing thrombotic disorders in a mammal comprising administering to said mammal a therapeutically effective amount of a compound according to claims 1 or 22.

30. The method of Claim 29, wherein said disorder is venous thrombosis.

31. The method of Claim 29, wherein said disorder is arterial thrombosis.

32. The method of Claim 29, wherein said disorder is pulmonary embolism.

33. The method of Claim 29, wherein said disorder is myocardial infarction.

34. The method of Claim 29, wherein said disorder is cerebral infarction.

35. The method of Claim 29, wherein said disorder is restenosis.

36. The method of Claim 29, wherein said disorder is cancer.

37. The method of Claim 29, wherein said disorder is angina.

38. The method of Claim 29, wherein said disorder is diabetes.

39. The method of Claim 29, wherein said disorder is atrial fibrillation.

40. The method of Claim 29, wherein said disorder is heart failure.

41. A method of inhibiting Factor Xa in a mammal comprising administering to said mammal a compound according to claims 1 or 22.

42. A pharmaceutical formulation comprising a compound of claim 1 or 22 admixed with a carrier, diluent, or excipient.